Support for this amendment may be found in the specification, for example, on page 24, line 8; page 31, line 6; and page 32, line 14. Support for this amendment may also be found in the international application, for example, on page 5, lines 21-22; page 25, line 10; page 32, line 1; and page 33, line 16 of the specification and in claim 1. Applicants have enclosed copies of the relevant pages of the international application for the Examiner's convenience.

Applicants have amended claims 5-9 and 12-14 to alter their dependencies. Applicants have amended claims 1, 13 and 14 to improve their form. Support for these amendments may be found in the original claims.

Applicants have added claim 15 to recite the combination according to claim 1 wherein I is 1. Support for this amendment may be found in original claim 1.

None of these amendments add new matter. Their entry is requested.

Respectfully submitted,

James F. Haley, Jr. (Reg. No. 27,794)

Elinor K. Shin (Reg. No. 43,117)

Attorneys for Applicants

Grant Kalinowski (Reg. No. 48,314)

Agent for Applicants

c/o FISH & NEAVE

> 1251 Avenue of the Americas New York, New York 10020

Tel.: (212) 596-9000

Fax.: (212) 596-9090

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope

addressed to: Commissioner for Patents, P.O. BOX 1327

AMERICAN VA 20202 on

William Name of person signing

Signature of person signing



# Version Showing Changes Made

# IN THE SPECIFICATION

The present invention relates in its first aspect to a charged copolymer having the general formula I

$$-\begin{bmatrix} -R & W & + X & Y & - \\ & & & \\ &$$

wherein R is an amphiphilic polymer or a homo- or hetero-bifunctional derivative thereof,

#### and wherein X

- i) is an amino acid or an amino acid derivative, a peptide or a peptide derivative
   or a spermine or a spermidine derivative; or
- ii) wherein X is




wherein

a is H or, optionally halogen- or dialkylamino-substituted,  $C_1$ - $C_6$  alkyl; and wherein

b, c and d are the same or different, optionally halogen- or dialkylaminosubstituted,  $C_1$ - $C_6$  alkylene; or

## iii) wherein X is



wherein

a is H or, optionally halogen- or dialkylamino-substituted,  $\mathrm{C_{1}\text{-}C_{6}}$  alkyl,

and wherein

b and c are the same or different, optionally halogen- or dialkylaminosubstituted,  $C_1$ - $C_6$  alkylene; or

# iv) wherein X

is a substituted aromatic compound with three functional groupings  $W_1Y_1Z_1$ , wherein W, Y and Z have the meanings mentioned below;

wherein



W, Y or Z [have] <u>are</u> the same or different groups CO, NH, O or S or a linker grouping capable of reacting with SH, OH, NH or NH<sub>2</sub>;

and wherein the effector molecule E
is a cationic or anionic peptide or peptide derivative or a spermine or
spermidine derivative or a glycosaminoglycane or a non-peptidic
oligo/polycation or -anion; wherein
m and n are independently of each other 0, 1 or 2; wherein


p preferably is 3 to 20; and wherein

I is 1 to 5, preferably 1.

If I is > 1, the moiety  $X-Z_m-E_n$  is the same or different.



 (Twice Amended) A combination of a carrier and a complex comprising a nucleic acid molecule and a charged copolymer of the general formula I



wherein R is an amphiphilic polymer or a homo- or hetero-bifunctional derivative thereof,

and wherein X

- is an amino acid or an amino acid derivative, a peptide or a peptide
   derivative or a spermine or a spermidine derivative; or
- ii) wherein X is

wherein

a is H or, optionally halogen- or dialkylamino-substituted,  $C_1$ - $C_6$  alkyl; and wherein



b, c and d are the same or different, optionally halogen- or dialkylaminosubstituted,  $C_1$ - $C_6$  alkylene; or

### iii) wherein X is

wherein

a is H or, optionally halogen or dialkylamino substituted,  $C_1$ - $C_6$  alkyl,

and wherein

b and c are the same or different, optionally halogen- or dialkylaminosubstituted,  $C_1$ - $C_6$  alkylene; or

#### iv) wherein X

is a substituted aromatic compound with three functional groupings  $W_1Y_1Z_1$ , wherein W, Y and Z have the meanings mentioned below;

wherein

W, Y or Z [have] <u>are</u> the same or different groups CO, NH, O or S or a linker grouping capable of reacting with SH, OH, NH or NH<sub>2</sub>;


and wherein the effector molecule E

is a cationic or anionic peptide or peptide derivative or a spermine or spermidine derivative or a glycosaminoglycane or a non-peptidic oligo/polycation or -anion; wherein m and n are independently of each other 0, 1 or 2; wherein

p preferably is 3 to 20; and wherein

I is 1 to 5[, preferably 1].

- (Twice Amended) The combination according to [any one of claims 1 to 3]
   <u>claim 1</u>, wherein a ligand for a higher eukaryotic cell is coupled to the copolymer.
- 6. (Twice Amended) The combination according to any one of claims [1 to 3] 1-3 and 5, wherein the nucleic acid molecule is condensed with an organic polycation or cationic lipid molecule and the complex formed thereby has a charged copolymer of the general formula I bound to its surface via ionic interaction.
- 7. (Twice Amended) The combination according to any one of claims [1 to 3] <u>1-3</u> and <u>5</u>, containing a therapeutically effective nucleic acid molecule.



- 9. (Twice Amended) The combination according to any one of claims [1 to 3] <u>1-3</u> and <u>5</u>, wherein the carrier consists of a biologically resorbable material.
- 12. (Twice Amended) The combination according to any one of claims [1 to 3] 1-3 and 5, wherein the carrier is a carrier which is obtainable by cross-linkage of a copolymer as defined in claim 1.
- 13. (Twice Amended) A method of transferring a nucleic acid molecule into a cell comprising using [a] the combination according to any one of claims [1 to 3] 1-3 and 5.
- 14. (Twice Amended) A pharmaceutical composition comprising [a] the combination according to any one of claims [1 to 3] 1-3 and 5.